

DISCLAIMER NOTICE

THIS DOCUMENT IS BEST QUALITY PRACTICABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.

UNCLASSIFIED

ECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

REPORT DOCUMENTATION		READ INSTRUCTIONS BEFORE COMPLETING FORM
L REPORT HUMBER	AD-AILG 72-7	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Substitute) Word Criticality Analysis MOS: 62E Skill Level: /62		S. Type of Report & Period Covered Final 6. Performing Org. Report Number
7. Authory Dr. Alexander A. Longo		S. CONTRACT OR GRANT NUMBER(4)
Training Developments Institute ATTM: ATTG-DOR Fort Monroe, VA 23651	:5	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT HUMBERS
11. CONTROLLING OFFICE NAME AND ADDRESS Training Developments Institute ATTN: ATTG-DOR Fort Monroe, VA 23651 14. MONITORING AGENCY NAME & ADDRESS(II dillon)	ent from Controlling Office)	12. REPORT DATE Sed 1981 13. NUMBER OF PAGES /3 15. SECURITY CLASS. (of this report) Unclassified
14. DESTRUBUTION STATEMENT (of this Report)		154. DECLASSIFICATION/DOWNSRADING SCHEDULE

16. DISTRIBUTION STATEMENT (of this Report)

Approved for Public Release; Distribution is unlimited.

17. DISTRIBUTION STATEMENT (of the shetreet entered in Block 20, if different from Report)

8. SUPPLEMENTARY NOTES

13. KEY WORDS (Continue on reverse olds if necessary and identity by block number

MOS Vocabulary
Readability
Comprehension of text
Curriculum Development

ABSTRACT (Building to reverse ship II meanings and identify by block number)

This report contains terms selected as having some degree of criticality in the training/performance of tasks contained in the respective MOS Soldier's Manual (SM). These critical words were selected by subject matter/job experts knowledgeable in their MOS. The vocabulary set used as the basis for critical word analysis was the Word Frequency Report based on the SM for the same MOS.

DD . NOW OF THE SERVICE OF THE SERVICE TO

MCLASTITED

FARE (Mars Sure Seitered)

Contents and General Information


- 1. The Word Criticality Analysis (WCA) reports were reproduced exactly as generated via computer printout. The prime users of this document were fully cognizant of its contents and required no special instructions for interpretation. However, for the sake of other readers, the following brief description of contents is provided.
- 2. The WCA reports for most MOS are divided as follows:
 - o Skill Level I
 - o Skill Level II


However, due to the way some Soldier Manuals are constructed, the WCA for some MOS have both Skill Levels merged into one report. Each Skill Level is subdivided into two sections.

- a. <u>Introductory</u> these MOS critical words, identified by the code "TRN", represent terms unmatched on the master tape for that MOS. (Reasons for this include: words volunteered as critical; keypunching errors; updating master tapes per changes in SM, etc). <u>MOTE</u>: The number to the left of each critical word is its criticality index defined below.
- b. Main these MOS critical words are ranked alphabetically within a criticality index (defined below) that also is ranked from 1-5. The numbers to the right of the critical words represent the SM page on which that term appeared and its frequency of appearance. Example "222,4" is interpreted as: "4 times on page 222". NOTE: Due to computer programming/sort difficulties, the accuracy of correct page referencing is only approximately 80% for most reports. Improvements in programming and coding increased this accuracy to 95% in those reports completed last (i.e., dated Jan-Mar 82).

3. Word Criticality Index:

The following 5 point rating scale was used by a team of up to 3 subject matter experts from Army NOS proponent schools to rate each word selected as having some importance for training/performing a critical task:





	•	SEQUENTIAL DATA MAN	AGER			ZE SKIL	BYTES
CONTINULSY CUT TIFF DUZEPS	. " ••• •••		•	•		TRA TRA TRA TRA	90 90 90
DUPING DPERATE EARTH HOVING FORT PROMOS	ON .		•			TAN TAN TAN TAN	80 80
FUREWARD FUUR WAY GENERATUR ALTE HARDNED	RNATOR		and the second s			Teh Teh Teh Teh	80 80 80
LETURHEAU LETURNEAU-MEST MATHTAINS RATSF-LUWER	INCHOUSE		2	<u></u>		TRA TRA TRA TRA	80 80 80
TENGTHS ASTER READ RECL	4276 32	na agrananti granti a promini primi sebinda	TRANS READ CRECL	361 80	UPDATED RECOL	to\$ 604	••
KSIZE	3136	The second section of the second section of the second section	ÜREĞL BLKSZZE	8000	- BLKSIZE	3196	
		The second secon	and a company of the	A R. D. STEELEN, St. D. William St. St. St. St.	and the same of the same		
,		Notes in the second of the sec			·		
	, , , , , , , , , , , , , , , , , , , ,	د منطقات بدار <u>د</u> از دار موسود این	ا و ما دامه این استونید در بهایی یواد و	and the second	andrasines a granda e haddi e e i da e i dadan		[
	i. O natarium (n. 1905), por propries de 1900 (n. 1904).	ale tradition resides delicate speed quantification for	again, agus luga satriay ann righ agus dhealand b . de s i an e .			and the second s	
·***	paragraphic transfer and the second s				A SECURITY OF THE SECURITY OF	•	
y age or age of the second sec				ay mark yan sa dharawan iyawan da dansari n	en ny lagan ina dia 4		
		manan and an area of the same	·	To the second se			
	and the second s	, 			en eriginthemis i en		
	The second secon	and the same of th		gila i agricação e commercian			•
		and the second of the second o	·	• • • • • • • • • • • • • • • • • • • •			

A RE

*

y. 🛦 3 DATE BC289 2068 PAGE MOS WORD LIST BY PAGE AIRBASES AVOID AXLE 330,4 ïε BACKED BACKFILL BANK BAR BASE BEARINGS BELOW BENCH BOLTS BOUM BOLTS Ç STARDS BOTTOM BOTTON BOULDERS BOWL BUCKET BULLDOZER BULLDOZING BUHP CABLE Perce CABLE
CAP
CAPABILITY
CAPACITY
CASE
CATERPILLAR
CAUTION
CENTER 62:1 62:7 62:7 62:7 62:0 62:30 6:1 62:2 62:1 62:7 CENTER INE --CENTER INE --CINCLE
COMPACTION --CONCRETE
COMPACTION
CONSTRUCT
COMPACTION
COMPAC CONSTRUCT CONSUMPTION CONTRULS COOLART CUTTING CYCLE 62,2 62,3 62,7 62,7 62,2 DED DEPRESS DEPTH DESIGN DETERMINATION DIAMETER 300,2 241, 62,4 62,24 7, 330,7 62,1 62,7 DIC 62,1

•	MOS WORD LIST BY PAGE	DATE OCZB9 ZCÓB PAGE Z
IGGING	42/5	•
ITCH .	4277 42727 3473	
TCHING	2,1 331,5 62,3 6,1 5,1	er de le leve en en en de leve en leve en leve en leve en
le La	42/2	}
ING	42,5 4,1 7,3 242,1 7,1	The second secon
Y .	4274	
TH	62,20299,1	
ΤΡΝΕΝΤ	**************************************	331,15 62,20 36,2
AVATE	• 62/1	•
AAATING	62/1	The second secon
MER	62/4 62/1	
	48×10	entre de manuel de la companya del companya del companya de la com
	299/2 62/15 7/1	:
	7/1	
ERMED	42/2	ŧ
RNOR CH	62/4 62/1 100/2	mandatura manan ning kanan maharan ini anan ini ini ini ini ini ini ini
IRD	62/1	
ED	42/3	
-START 1er	62,4	
, "	42.4	<u> </u>
PORTS	33016	
ZONTAL .	62.6 300.2 62.1	i i
Ř		Company to the company of the compan
A1# 10	62,7 8,20 4,3	
AULIC KNIFE	62143 1511 616 311 30012 24214 6211	The department of the billion of the contract of the department of the contract of the contrac
FRS	62,1	· ·
t iing	12/4 	
N 3 MG	7/1	
PL .	400-1 40-40 9-9	
EFING EFING	30° }	
LS	62,2 62,6	• !
R\$	68/2	the second secon
1	62/11 62/5	
DER		The control of the co
D1M6	331.3 42.13	!
)\$ {	62/1 7/1 	
	62/6	
	,	
** ***	Mariana de	
		; ;
	•	

2.3

٠.

DATE BG209 2CAR PAGE MOS WORD LIST BY PAGE 24,1 62,1 62,2 100 62,10 62,3 62,3 LOUSE LUBRICATE MACHINE MACHINE
MANEUVER
MANIPULATE
MANUALLY
MANUALLY
MANUALLS
MASTER
MASTERIAL
MAXIMUS
MEDIUM
MEDIUM
MIDDLE
MISSION
MIBSICE 62.2 62,1 62,1 62,14 62,14 62,12 7,1 62,20 62,4 241,5 7,1 242,1 62,2 62,2 62,1 31,1 30,1 7,1 62,1 62,1 62,1 6,2 MIBILE MODEL MODERATELY MOISTLAE MOLDBUARD MOMENTUM MOTION 62,2 MOTTOR IZED
MOUNTED
MO 380,6 62,1 380,1 380,1 62,1 62,1 62,1 62,2 62,1 62,2 62,1 62,2 62,1 62,2 62,1 62,2 62,1 62,2 62,1 62,2 62,1 7,1 .7,2 7.1 22.1 02.2 62.5 62.67 22.1 62.4 62.4 62.1 62.2 62.1

HOS WORD LIST BY PAGE DATE BOZSO 2COS PAGE RCS1STANCE RESISTA RETURN RIG RIP RIPPER ROAD ROLLERS ROTATE ROUGH SELECTOR SIDE SIDEHILL SUFT SUFT
SCILS
SUCCEEDING
SUCTION
SUFFICIENT
SUITABLE
TACKLE
TACKLE
TEETH
TILT
TOE VERTICAL -VELUME W/DOZER W/DRAWBAR WABCO WASHER WEAR WEAR
WILDED
WESTINGHOUSE
WIDTH
WINCH
WINCHING
WINCHING
WINDROW
YARDS 9,8 YARDS AVERAGE BOUNDARIES CIRCULATE CUMPLETE CUNDITIUM CONFORM CONFECT CUMPECT CONFECTORS CONTACT CONTACT COURSE COURSE 13

O

0

Ø

0

0

Ę

Ð

•

Ø

Ø

G

Ç

0

4

0

Ģ

C

			MOS NO	RD LIST	BY PAGE				PATE BC2	la scás P	AGE
ėjo · · · · · · · · · · · · · · · · · · ·	350/2"242/3	145,1	62.2	43.1	11.1	TO,5	7.1			,	
FIGURE	62,4		4676	****		,,,,	***	77.			
AND	372/1 62/2	35,1						•		_	
IFTING	371,3 62,6										
rwer .	62/18 36/1	8,3	•.•								
CHERING		0/3	7.1								
	62,1										
MAE	62,19 7,1								-	• • • • • • • • • • • • • • • • • • • •	
ICV I NG	62/3 7/1										
EAT	62,1										
ITTCH	62,1				.,			• •			
luter	42,6								•		
ANEL	62,2										
ATH	7,2										
UTHOLES	62/1										
ひいわ	62,1										
ULLING	62>1		· -		• • • • • •			*****			•
EALIGNING	62,1										
ECEPTICLE	62.1										
EFERENCE	62,10 36,2	~356,3 °	29971								
ELIEF	17.1 62.5	35,1									
FPEAT	62/1 .										
EPLENISH	62/1										
ETAINER	62,3										
ETRACT	62,1										
IDGE	7,1										
EQUENCE	62,6							•			,
CLVENT	62/1							•			
AHGENCY	62,2										
ANK .	62,5										
ENS ION	62.3										
IBRATION"	62,1							*********			
arm ing	62,1								*	•	
IDEN	62,1										
x1S	62,1										
ADLY	62-1										
EDOED	62.1										
ELL	62,15 39,1	29.1	1,3								
ELTS	62/1										
ENT	62/1							*			
CAT	62/2										-
DNTAINS	62,2		•								
CHTENTS	62+1										
DITER	62,9	·• · • •									
CUNTERACT	62.1										
CUPLING	62,1					•					
URVATURE	62,1										
ATA	29911 4219	34,1							•	•	
ECREASE	62/1								•		
FFINITE	62/1										
EFLECTION	1.20										
A . G = A . A = A .											

0

 C^{*}

0

Ü \mathbf{o}

MOS WORD LIST BY PAGE DATE 80289 2COS PAGE DENOTE DEVELOP 380,2 62,1 ا ۋەران 3,1 DEVICE DIFFERENTIAL DISASSEMBLE FABRICATE 62,6 Ω^{β} 62,2 62,1 62,1 62,1 FABRICATE
FILTER
FUNCTION
GAGE
GAUGES
GFARS
KIT
LEAK
LCCKWASHER
M-88
MAINTENANCE 0 62,1 33333 က္ခ်ို 62,1 62,4 **O** 62,1 62,1 O. 6,19 88,1 15,1 \$42,42 77,1 299,1 92,1 40,1 31,1 62,60 26.1 **(**): MALFUNCTION
HECHANICAL
MULTIHETER
OUTLET
OUTPUT
UVERRIDE
PACKING
PETCOCK
POWER
PULL FR • Ð G POMER PULLER
PUMPS
REASSEMBLY
RECGNNECT
REGULATIONS
REPLACING
REPLACING
RESTORE ŧì. C RESULTING SERVICE SOT TANKS 257,1 q 77,1 TEC TECHNICAL— TEMPERATURE TERIIINAL TOLERANCE— 62,1 62,30 62,5 62,5 62,1 7,1 62,6 TORQUE V-BELTS V-TYPE Q 62,2 G VENT 62/3 0

.

-

and a serial professional and a serial s

Andrew of the

62,3 8,2 62,4 14,1 62,1 62,1 62,2 62,1 VICE MATERPROOFING BEEN TEING COMVERTED DICK DISCARD 62,2 DISCHARGE DISCONNECT DISTRIBUTION EITHER EOUAL FIELD FORCE FOREIGN 7,1 FURN HEIGHT HIIST HOIST LEAD LIGHTER LIHITING LIMITS LIME LINK HAB MAHAGEMENT 18,2 279,1 62,1 62,2 HEASURES HINIMIZE HINUS HONITOR NATURAL NOISES 62,4 62,1 62,4 62,3 62,3 17,1 NUNE HULL PERFORM PERSONNEL 62,68 PERSONNEL
POINTER
POINTS
POST-CHARGIN
POTENTIAL
OUIRED
RANGE
RATIO
RECTIFIER
RECTIVE
RELATION
RELAY
RELAY
RELAY
RELOCATE 62,2 62,5 62,1 62,1 62,1 62,7 62,1 62,9 62,1 62,1 RELUCATE Ö

C

0

Ç

0

O

6

0

ø

ø

0

Ö,

Ġ

0

Ð

REPORT RING SEPARATE VERIAL SETING SEVERAL SUBSEQUENT SUBSEQUENT SUBSEQUENT SUMMARILS SUPPORT SUPPORT SUPPORT SURROUNDING TERRAIN TYPE TYPICAL VARY VERIFY MARD MARE 62,11 62,1 62,1 62,1 C io O 0

Addit

HEADQUARTERS

DATA CONTROL NUMBER_

MA NA / STANCET NA

UNITED STATES ARMY TRAINING AND DOCTRINE COMMAND

FORT MONROE, VIRGINIA 23651

FWCA DEC 5 1880 ORAD



PREPARED BY: OPERATIONS DIV, DPFC
ATOP PORM 109-11 Pro 00 offices may be used


MORD CRIT

K6: 2

COPY ____ OF ___ COPIES

MOS WORD LIST BY PAGE DATE 80337 1724 PAGE ANGLE ATTACH BLTCK BRAKE CLUTCH CRANK 62,7 62,4 62,11 62,14 62,2 MOS-62E SKILL Level 4.6 CRAPIK
CRAHLER
CRUWN
CT4
DEP
D7F
D8K
IOLERS
UPERATING 372.10 21,5 300,2 62,3 380,2 242.3 62,1 360-1 331-1 242-1 14-1 242-4 62-1 62-22380-8 62-7 62-8 OPERATORS SCARIFIER SCARIFYING D SCRAPER _ SHARK
SHIFT
SHOULDER
SHOULDER
SPILLAGE
SPILLAGE
SPILLAGE
SPILLAGE
SPILLAGE
STERES
STERES
STERES 62.4 Ď 62,2 300-1 STEERING STUCKPILE STUCKPILING STRATIFIED TRACK TRACTOR TRACTOR TRACTOR-SCRAPE UNITED 300-1 0 62,1 62,1 62,1 62,44 Ð 24.1 300.2 242.8 62,16 62-1 62-1 7-1 62-1 62-1 62-1 62-1 62-2 62-2 62-1 10-1 241-4 UPWIND ABRUPT ACCESS. AFTER-UPERATION ALLOW ANCHOR APPLY APPRUACH AHEA 0 ASSURE CLEARING DPAG DHAWRAP 0 Liber 62+14 7.1 0 0

HEADQUARTERS UNITED STATES ARMY TRAINING AND DOCTRINE COMMAND FORT MORROE, VIRGINIA 23651





ATA CONTROL NOMBER / PRINCET NO

UNITED STATES ARMY TRAINING AND DOCTRINE COMMAND

FORT MORROE, VIRGINIA 23651 WCA

ORAD

ENS

GRE SLD

KS-C

PREPARED ST: OPERATIONS SIV, SPFS

ATOP POR 107 STATES AND STR. Jul 74, other in control

COPY _____ OF ____ COPYES

			SEQUENTIAL DATA MANAGER				mos 62	TANE MECUND	BYT		
	4 BITUME 2 FOREWA 1 MELIPO 2 TASKS 3 ULTYPO				·- · · ·					Tar Tar Tar Tar Tar	
··•·	MASTER I LRECL BLKSIZE	EAD					TRANS READ L'RECL ALKS L'EE	179 8g 8000	UPOATED RECER	95 267 32 3130	•
							··· • · · · · · · · · · · · · · · · · ·				
									•		
										·	
_	·					, 	·		· · · · · · · · · · · · · · · · · · ·		
					·	· · · · · · · · · · · · · · · · · · ·	**************************************	·			*
_		· · · · · · · · · · · · · · · · · · ·			<u></u> у						
				***************************************	•						-
	•				·					,	
							•				
									•		
_				<u>.</u>				·			
							-		alite (Million) (generalisti este tenden e e te e tepen unte e e e	····	• • • •
_							- ann the lagran per allestication for and				***

MOS WORD LIST BY PAGE BATE 80272 0132 PAGE ATRBASES BACK 36,1 62,1 36,1 14,1 10,1 11,1 62,4 62,12 36,13 62,2 36,1 62.1 36.1 BANK BASE BLADE BULTS BUTTUM 36,1 62,5 62,3 36,2 BOUL DERS CAPACITY CIRCLE COMMON -331.2 COMPACTION 62,4 62,1 62,6 14,1 62,1 CONSTRUCT CUTS CUTTING (CYCLE 62,1 62,2 11,1 (DEEP DEEP DELIVERED DEPTH DESIGN DISTANCE DISTANCE DISTANCE 02/5 330/1 10/1 10/1 02/1 02/1 02/1 02/1 C 62,3 331,3 8,1 62,7 DITCHES DITCHING DGER DOJER
DUMP
EARTH
EARTHOUTING
EQUIPHENT
EXCESS
EXCESSIVE
EXISTING
EXTENT 33115. 11,2 62,2 11,1 62,7 62,1 62,2 62,2 EXTREME FEATHER FEET FINAL GOVERNED MAND MAUL 196 MAZARDS HORIZONTAL

MOS WORD LIST BY PAGE DATE 80292 0132 PAGE 0 LAYERS 62,7 62.1 0 11/1 LEAH LEAVING 42.1 331.1 LEVEL Ç *TEASTED* 11/1 62/1 62/1 62/1 62/3 331/1 62/1 LEVELING LEVER LIFT LGAD 0 FLVDEN FLVDEN 0 62:1 10:1 62:1 300:4 62:1 LOCK LOUSE MACHIME MAHUAL MATERIALS MIXING MIDEL MILDEDARD 2671 1172 340,4 62,1 62,1 42,2 380,4 354,2 14,1 62,0 361,1 11,2 380,4 62,7 62,1 62,0 42,1 11,2 62,2 11,1 NTLDBPARD NOTOR TOTOR NOTOR IZED PARALLEL PARKED PASSES PA 11,1 62,1 62,5 62,3 62/3 14/2 10/1 , 62/3 331/1 62/11 11/1 380/4 62/3 62/3 ۵ 75677 33171 ROLL
ROTATE
SAPETY
SIDE
SIDE-SHIFT
SIDES 02/1 30/2 14/1 20/1 11/2 62/8 30/3 62/1 62/1 62/5 11,3 0 STIE 10,1 62,1 62,1 62,1 62,2 SUIL SUBGRADE SUPPECTENTLY SURFACE TILTED TILTING 62,1 Ö

HOS WORD LIST BY PAGE DATE SGETE STEER PAGE 0 TOP VOLUME WIDTH WINDROW YARDS AVERAGE - 62,5 - 62,5 - 62,5 - 62,5 - 62,2 10 0 62,2 62,1 62,1 62,2 62,7 62,7 62,2 62,2 62,2 62,4 62,1 62,2 349,4 331,1 62,6 32,6 BUMPARIES COMPLETED CONDITION COMPORATING COURSE PURE FIGURE 14/1 11/1 10/1 36/1 FINISH HOLD HOLE LATERAL LETDURNEAU-HESTINGHOUSE LETOURNEAL LIFTING LICKING LING LINER LOWERED HUTCHES OUTSIDE UVER REPERENCE 14/1--331/1 0 42,9 REFERENCE REFEATING SECURE SET SINGLE SUCCESSIVE BELTS COATED 0 CUATED
CUTTER
COUNTERACT
DATA
DIRECTLY
EVERY
MAINTAINING
MAINTENANCE
JERVICES
TOE
VIEW
BEEN
BEING
EITMER 0 62,1 62,6 62,6 62,6 62,1 62,1 62,1 34, Ī ø.

P Storing?

C MOS WORD LIST BY PAGE 0 BATE BEZTE G132 PAGE FIRST
FURN
HEIGHT
LEAD
LIGHTER
LIMITS
LIME
LOCATED
HIMINITES
PERFORM
PERSONNEL
QUIRING
RATIO
TACTICAL
TYPICAL
VARY 62,1 11,1 20,1 62,1 11,1 62,1 62,6 62,6 62,1 62,1 o 0 62:1 62:3 9:1 381:1 62:1 62:2 62:7 62:7 62:1 62:1 9:0:2 24.1 356/2 • • • 0


A117/25 5

HEADQUARTERS

DATA CONTROL NUMBER_

100 NO PERSECT NO

UNITED STATES ARMY TRAINING AND DOCTRINE COMMAND




PREPARED BY: OPERATIONS DIV, DPFO

MO5-62E Skill Level 2 AGGREGATE
PNGLE
BLADE
CLAMP
DRAINIGE
EDGE
FROSICN
GRADE
GRUBBED
SCRIPERS
SHOULCER
SLIDE
SLOPE
SHOW
STAKES
STAMOLROS 10,1 62,2 62,3 62,3 62,3 11,2 36,1 10,1 62,7 62,2 26,1 62,1 11,1 62,2 36,1 62,1 10,3 331,3 11,1 36,1 62,11 62,5 62,4 62,2 62,4 62,2 62,4 62,2 62,4 62,2 62,1 10,1 33,3 62,1 62,2 62,4 62,2 62,2 62,2 62,4 62,1 62,1 62,1 62,1 62,2 62,2 62,2 62,2 62,2 62,4 62,1 62,1 62,1 62,4 62,2 62,2 62,2 62,2 62,2 62,2 62,2 62,2 62,2 62,4 62,1 62,4 62, 11.2 STAND.ADS
STECKPILE
STRIP
STRUCK
THICKNESS
UTILIZATION
ANGLED
PLAYE
\$LOPING
TRAVELING
TDAVELLY TRAVELBAY

C

0 0

HEADQUARTERS UNITED STATES ARMY TRAINING AND DOCTRINE COMMAND FORT MORROE, VIRGINIA 23651



Allt HEADQUARTERS URITED STATES ARMY TRAINING AND DOCTRINE COMMAND WCA FORT MOURDE, VIRGINIA 23651 ORAD Word Cut Mac 62E Shill Level 2

MOS-62E Skill LEVEL 2 AGGRECATE
ANGLE
BLACE
CLAMP
ORATHPGE
EDGE
GRUSSICH
GRADE
GRUSSED
SCF. YPFAS
CHELL
SHIFTED
STAVES
SHOULDER
SLOPE
SHOUCH
SPILLED
STAVES
STOCKPILE
STRIP
STRIP
THICKNESS
UTILL JATION
HICLED
PLAYE
SLOPE
PLAYE
SLOPE
PLAYE
STAVELING
TRAYSLING 62.5 62.1 10.1 62.2 62.3 11.2 36.1 10.1 62.7 62.7 62.2 26.1 62.1 11.1 36.1 62.1 10.3 331.3 11.1 36.1 62.2 62.4 62.2 62.4 62.2 62.4 62.2 62.4 62.2 62.1 62.2 62.4 62.2 62.4 62.2 62.4 62.2 62.1 62.2 62.2 62.1 62.2 62.1 62.2 62.2 62.1 62.2 62.2 62.1 62.1 62.2 62.2 62.2 62.1 62.1 62.2 62.2 62.2 62.1 62.1 62.2 62.2 62.2 62.2 62.1 62.1 62.2 62.2 62.2 62.2 62.1 62.1 TRAVELMAY

0

0

0

0 i Ø

٥

_i 🚱

C

C

C C

C

. 6

O

O